

8/21

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>
	10/758,576	HEFFELFINGER, DAVID M.
	Examiner sang nguyen	Art Unit 2877

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to 01/15/04.
  2.  The allowed claim(s) is/are 1-11.
  3.  The drawings filed on 15 January 2004 are accepted by the Examiner.
  4.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
    - a)  All    b)  Some\*    c)  None    of the:
      1.  Certified copies of the priority documents have been received.
      2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
      3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- \* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application (PTO-152)
6.  Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_

GREGORY T. OATLEY, JR.  
PRIMARY EXAMINER SP82877

## DETAILED ACTION

### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

**Claim 1 line 1;** delete "the" before the term "optical".

**Claim 1 in line 23;** delete "a" before the term "signals".

### ***Allowable Subject Matter***

Claims 1-11 are allowed.

The following is an examiner's statement of reasons for allowance:

As to independent claim 1 is allowable over the prior art for at least the reason that the prior art of record, taken alone or in combination, fails discloses or render obvious a system for optical of analysis of targets comprising all the specific elements with the specific combination including of a processor that simultaneously integrates signals from the first and second detector, wherein the processor integrates a signal from a first detector for a first time interval and the processor integrates a signal from

the processor for a second time interval, wherein the first time interval is shorter than the second time interval the in combination with the rest of the limitation of claim 1.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Sang Nguyen whose telephone number (571)-272-2425. The Examiner can normally be reached on Monday through Friday From 9:30 AM to 6:30 PM.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's Supervisor, Mr. Gregory J. Toatley, Jr., can be reached on (571) 272-2800 ext. 77. The fax number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should


Art Unit: 2877

you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

*SN*

Nguyen/sn

September 18, 2004



Gregory J. Tooley, Jr.  
Supervisory Patent Examiner  
Art Unit 2877  
Technology Center 2800